SAFETY DATA SHEET SUPERIOR No. 141

DATE REVISED: June 28, 2017

Product Name/Part Number: Superior No. 141 **Manufacturer:** Superior Flux & Mfg. Co. 6615 Parkland Blvd. Cleveland OH, 44139 **Emergency Phone Number: 1-800-424-9300 (CHEMTREC) Other Information Calls:** (440) 349-3000

SECTION 1 -- IDENTIFICATION

Common Name: Superior No. 141 Chemical Family: Soft soldering flux CAS Number: N/A Chemical Name: N/A Formula: See Section 3

SECTION 2 – HAZARDS IDENTIFICATION

GHS Classification:

Acute toxicity, Oral (Category 4)	H302
Skin corrosion (Category 1B)	H314
Serious eye damage (Category 1)	H318
Acute aquatic toxicity (Category 1)	H400
Chronic aquatic toxicity (Category 1) H410	

Label Elements





Signal Word: Danger

See below for full text description of H-Statements

Hazard Statement(s)

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
**H318	Causes serious eye damage
**H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

**May be omitted from label due to presence of stricter/more severe statement.

Precautionary statement(s)

- P260 Do not breathe mist or fumes
- P264 Wash skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P273 Avoid release to the environment
- P280 Wear protective gloves, protective clothing, eye protection
- P301+P312+P330 IF SWALLOWED: Call a POISON CENTER if you feel unwell. Rinse mouth

P301+P330+P3	31 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting			
P303+P361+P3				
	with water			
P304+P340+P3	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	Immediately call a doctor			
P305+P351+P3	IF IN EYES: Rinse cautiously with water for several minutes. Remove			
contact lenses, if present and easy to do. Continue rinsing. Immediately call				
	a doctor			
P363	Wash contaminated clothing before reuse.			
P391 Collect spillage				
P405	Store locked up			
P501 I	Dispose of contents and/or container to an approved waste disposal plant			

Hazards not otherwise classified or not covered by GHS: None

SECTION 3 – COMPOSITION INFORMATION				
Components	CAS Number	%		
Zinc Chloride	7646-85-7	1-3		
No Caller and a start in the second	1			

None of the materials in this product are listed in NTP, IARC, or OSHA as carcinogens.

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Inhalation: Remove to fresh air.
Eyes: Flush with water for fifteen (15) Minutes. Remove contacts if present and easy to do so. Call physician.
Skin: Wash thoroughly with soap and water.
Ingestion: Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician immediately

Most Important Symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 (labeling) **Medical Conditions Generally Aggravated by Exposure:** Any weakness of the lungs, kidneys or liver may be aggravated.

OSHA Permissible Exposure Limit (PEL): 1 mg/m³ **ACGIH Threshold Limit Value (TLV):** 1 mg/m³

SECTION 5 – FIREFIGHTING MEASURES

Extinguishing Media: Dry chemical, carbon dioxide foamSpecial Hazards: Will release small amounts of HCl upon decompositionFlash Point: Not applicableAdvice for firefighters: Wear self-contained breathing apparatus for firefighting if necessary

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: Use personal protective equipment.

See section 8 for personal protection.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

In Case Material is spilled: Neutralize with soda ash or sodium bicarbonate, dilute with water. Mop up and arrange disposal. Keep in suitable, closed containers for disposal in accordance with EPA regulations.

SECTION 7 - HANDLING AND STORAGE

Storage Requirements: Store in plastic containers in cool area, away from heat

Handling Precautions: Avoid contact with skin and eyes. Provide appropriate and adequate ventilation for or fumes when using this product.

For precautions see Section 2

SECTION 8 - CONTROL MEASURES

Respiratory Protection: For nuisance exposures use type P95 (US) respirator. For higher level protection use type OV/AG/P99 respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Ventilation: Yes Mechanical (General): Explosion proof Local Exhaust: Yes

Protective Gloves: Yes – Nitrile rubber. Use equipment tested and approved under NIOSH standards.

Eye Protection: Safety glasses conforming to EN166. Use equipment tested and approved under NIOSH standards.

Other Protective Clothing or Equipment: Rubber apron recommended.

These recommendations are advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of the anticipated use. It should not be construed as offering an approval for any specific use scenario.

SECTION 9 - PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance:	Paste, white
Odor	None
рН	Not applicable
Melting/Freezing Point:	60°C/140°F
Boiling Point/Range:	104°C/220°F
Flash Point:	No data available
Evaporation Rate:	Not applicable
Flammability (solid/gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Relative Density	0.97 (Water = 1)
Water Solubility	Unlimited
Partition coeffient n-octonol/water	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: No data available

Stability: Product is stable under recommended storage conditions

Possibility of hazardous reactions: No data available

Conditions to Avoid: Excessive heat, excessive cold, metals

Incompatibility: Alkalines, strong oxidizing or reducing materials, cyanides or combustible materials.

Hazardous Decomposition Products Hydrochloric acid, zinc chloride, zinc oxide, ammonium

In the event of fire: See Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity Data

- 1) Oral: LD-50 (rat): Not available
- 2) Inhalation: LC-50 (rat): Not available
- 3) Dermal: LD-50 (rabbit): Not available
- 4) Skin Irritation: (rabbit): Not available

Chronic Toxicity Data

- 1) Repeated Skin Application: (rat): Not available
- 2) Eye Irritation: (rabbit): Not available

SECTION 12 - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material

SECTION 14- TRANSPORTATION

D.O.T. Proper Shipping Name: Non-hazardous **Identification Number:** NA **Type D.O.T Label Required Information:** NA

Hazard Class: NA Packing Group: NA

SECTION 15 - REGULATORY INFORMATION

OSHA Hazardous Chemical According to 29 CFR 1910.1200: None

Carcinogenicity Classification (Components Present at 0.1% or More): Non-carcinogenic International Agency for Research on Cancer (IARC): Not listed American Conference of Governmental Industrial Hygienists (ACGIH): Not listed National Toxicology Program (NTP): Not listed Occupational Safety and Health Administration (OSHA): Not listed

None of the components of this product are listed on the U.S. toxic substances control act inventory or otherwise comply with TSCA pre-manufacture notification requirements.

SECTION 16 - OTHER INFORMATION

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. The above information does not represent any guarantee of the properties of the product. It is believed to be correct, but does not purport to be all inclusive and should be used only as a guide. Reasonable care has been taken in the preparation of this material, and is based on the present state of our knowledge.

Superior Flux & Mfg. Co. shall not be held liable for any damage resulting from handling or from contact with the above product.

Preparation information

Superior Flux & Mfg. Co. 440-349-3000