

SAFETY DATA SHEET

SUPERIOR NO. 96T

DATE REVISED: February 1, 2019

SECTION 1 - IDENTIFICATION

Product Name/Part number: Superior No. 96T

Recommended use: Flux Thinner

Manufacturer: Superior Flux & Mfg. Co. Mfg. Phone No. (440) 349-3000
6615 Parkland Blvd **Emergency Phone No.**
Cleveland OH, 44139 **1-800-424-9300 (CHEMTREC)**

SECTION 2 – HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with OSHA HCS (29 CFR 1910)

Flammable liquid (Category 2)	H225
Skin irritant (Category 3)	H316
Serious eye damage (Category 2A)	H319
Specific target organ toxicity – Single exposure, Central nervous system (Category 3)	H336
Acute aquatic toxicity (Category 2)	H401
Chronic aquatic toxicity (Category 4)	H413

See below for full text of H-Statements

GHS Label Elements, including precautionary statements

Pictogram(s):



Signal Word: Danger

Hazard Statement(s)

H225	Highly flammable liquid and vapor
H316	Causes mild skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life
H413	May cause long lasting harmful effects to aquatic life

Precautionary statement(s)

P210	Keep away from heat, sparks, open flames, and hot surfaces. No smoking
P240	Ground or bond container and receiving equipment
P241+P242+P243	Use explosion-proof electrical, ventilating, and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge
P261	Avoid breathing mist, vapors, spray, or fumes
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment

P280	Wear protective gloves, protective clothing, and eye protection of butyl or “Viton”
P303+P361+P353	IF ON SKIN (or hair): Remove all contaminated clothing. Rinse skin with plenty of soap and water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical attention.
P370+P378	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction
P391	Collect spillage
P403+P233+P235	Store in a well-ventilated place. Keep tightly closed and cool.
P405	Store locked up
P501	Dispose of contents to an approved waste disposal plant.

Hazards not otherwise classified or not covered by GHS: Repeated exposure may cause skin dryness or cracking

SECTION 3 – COMPOSITION INFORMATION

Components	CAS Number	%
Isopropanol	67-63-0	70-99
Mineral spirits	8032-32-4	1-30

SECTION 4 – FIRST AID MEASURES

Description of first aid measures

- General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
- Inhalation:** If breathed in, move to fresh air. If not breathing, give artificial respiration. Consult a physician.
- Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
- Skin:** Wash off with soap and plenty of water. Consult a physician.
- Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most Important Symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2 (labeling)

SECTION 5 – FIREFIGHTING MEASURES

Suitable Extinguishing Media: Use dry chemical, carbon dioxide, or alcohol-resistant foam

Special Hazards: Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Do not mix with strong oxidizing or dehydrating agents. Do not mix with strong oxidizing or dehydrating agents. Do not store in presence of oxidizing agents.

Special protective actions for firefighters: Wear protective clothing, including NIOSH-approved self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment and emergency procedures: Use personal protective equipment. Avoid breathing vapors, dust, or fumes. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. *See section 8 for personal protection.*

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

In Case Material is spilled: Contain spillage, then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or fumes.

General Precautions: Do not eat, drink, or smoke while using this product. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas

For full precaution statements see Section 2

Storage Requirements: Keep container tightly closed in a cool and well-ventilated place.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

OSHA Permissible Exposure Limit (PEL): 200 ppm

ACGIH Threshold Limit Value (TLV): 200 ppm

Engineering Controls: Use local exhaust ventilation to maintain air concentrations of vapors and fumes below occupational exposure standards.

Special Engineering Control Needs: Explosion proof and non-sparking electrical equipment

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (USA) or ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protective Gloves: Handle with gloves. (Nitrile Rubber recommended) Gloves must be inspected prior to use. Use proper glove removal techniques (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good lab practices. Wash and dry hands after handling.

Eye Protection: Safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (USA) or EN 166 (EU)

Body Protection: Impervious clothing, flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

SECTION 9 - PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance	Colorless liquid
Odor	Alcohol
Odor threshold	No data available
pH	Not applicable
Melting point/Freezing point	No data available
Initial boiling point and boiling range	82°C/179.6°F (approx.)
Flash point	18.3°C/65°F (approx..)
Evaporation rate	No data available
Flammability (Solid, gas)	No data available
Upper flammability or explosive limits	12%
Lower flammability or explosive limits	2%
Vapor pressure (mmHg)	33 (approx.)
Vapor density (Air = 1)	2.07 (approx.)
Relative density	0.800 ± 0.050
Solubility(ies)	Partially miscible in water
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	398.9°C/750°F
Decomposition temperature	No data available
Viscosity	No data available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: No data available

Stability: Product is stable under recommended storage conditions

Possibility of hazardous reactions: No data available

Conditions to Avoid: No data available

Incompatibility: Strong oxidizing agents

Hazardous Decomposition Products: No data available

In the event of fire: See Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Likely Route(s) of Exposure: Inhalation, ingestion, skin and eye contact

Acute toxicity No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as known or anticipated carcinogen by NTP.

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

Specific target organ toxicity – Single exposure

Respiratory system – May cause respiratory irritation

Specific target organ toxicity – Repeated exposure No data available

Aspiration hazard No data available

Additional information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

SECTION 12 - ECOLOGICAL INFORMATION

TOXICITY

No data available

Persistence and degradability No data available

Bioaccumulative potential No data available

Mobility in soil No data available

Other adverse effects

Hazard to ozone layer: No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Offer surplus and non-recyclable solutions to a licensed disposal company.
Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging Dispose of as unused product.

SECTION 14- TRANSPORTATION

D.O.T. Proper Shipping Name: Flammable Liquid, NOS (Contains Isopropanol and Mineral Spirits)

Identification Number: UN1993

Hazard Class: 3

Packing Group: II

Type D.O.T Label Required Information:
Flammable Liquid

SECTION 15 - REGULATORY INFORMATION

SARA 302 Components No components in this material are subject to the reporting requirement of SARA Title III, Section 302.

SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards Acute Health Hazard, Flammable

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 - OTHER INFORMATION

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. The above information does not represent any guarantee of the properties of the product. It is believed to be correct, but does not purport to be all inclusive and should be used only as a guide. Reasonable care has been taken in the preparation of this material, and is based on the present state of our knowledge.

Superior Flux & Mfg. Co. shall not be held liable for any damage resulting from handling or from contact with the above product.

Preparation information

Superior Flux & Mfg. Co.
440-349-3000
