# SAFETY DATA SHEET SUPERIOR SYBERKLEEN

DATE REVISED: January 1, 2016

**Product Name:** Superior Syberkleen

Manufacturer: Superior Flux & Mfg. Co. 6615 Parkland Blvd. Cleveland, OH 44139

**Emergency Phone Number: 1-800-424-9300 (CHEMTREC)** 

Other Information Calls: (440) 349-3000

**To the Purchaser:** This MSDS contains important environmental, health, and toxicology information for your employees who have ordered this product. Please be sure this information is given to them. If you resell this product, a copy of the MSDS should be given to the buyer.

H.M.I.S. INFORMATION: HEALTH = 3 FLAMMABILITY = 0 REACTIVITY = 0

### **SECTION I - IDENTIFICATION**

**Common Name:** Superior Syberkleen **Chemical Family:** Aqueous Cleaner

CAS Number: NA Chemical Name: NA Formula: See below

# SECTION II – HAZARDS IDENTIFICATION

Classification of Substance or Mixture:

Classification (CLP): Corrosive Label Elements (CLP): Corrosive



Corrosive Irritant

Precautionary Phrases: P264, P270, P280, P301+P312, P305+P351+P338, P330, P337+P313,

P301+P330+P331, P304+P340, P309+P311

**Risk Phrases:** R36/37/38, R34

**Safety Phrases:** S-26, S-27, S-36/37/39, S-45, S18, S61, S62, S64

See section XVI for full text description of S and R phrases

Other Hazards: None if used properly

### SECTION III- COMPOSITION INFORMATION

Components	CAS Number	%	OSHA PEL	H Phrases
Monoethanolamine	141-43-5	5-15	$3 \text{ mg/m}^3$	H227, H312, H332, H302, H335, H314

Unlisted percentages are non-hazardous stabilizers, and water. None of the materials in this product are listed in NTP, IARC, or OSHA as carcinogens.

### SECTION IV – FIRST AID MEASURES

**Inhalation:** Remove to fresh air

Eyes: Flush with water for fifteen (15) Minutes. Call physician.

**Skin:** Wash thoroughly with soap and water.

**Ingestion:** If patient is fully conscious, give large amounts of water. Obtain medical attention

immediately.

Most Important Symptoms and effects, both acute and delayed

Primary Routes of Entry into Body: Fume inhalation, ingestion, skin, and eyes.

Symptoms of Overexposure: Salivation, coughing, choking, chills, may cause weight loss, brittle

bones, anemia, and stiff joints.

Medical Conditions Generally Aggravated by Exposure: Any weakness of the lungs, kidneys or

liver will be aggravated.

Chemical Listed as Carcinogen or Potential Carcinogen: None

OSHA Permissible Exposure Limit (PEL): NA ACGIH Threshold Limit Value (TLV): NA

### SECTION V - FIRE AND EXPLOSION HAZARD DATA

**Flash Point**: None to 104°C/220°F

Flammable Limits: NA

**Extinguishing Media**: Apply foam, CO<sub>2</sub>, water **Auto Ignition Temperature**: 398.9°C/750°F

**Special Fire Fighting Procedures**: Fire fighters should use respiratory protection for toxic fumes. **Unusual Fire and Explosion Hazards**: Use blanket to smother fire. Use water only in fine mist or

spray

### SECTION VI - ACCIDENTAL RELEASE MEASURES

**Steps to be taken in case material is spilled:** Absorb spill with sawdust or wood shavings and remove in accordance with EPA regulations.

# SECTION VII - HANDLING AND STORAGE

**Storage Requirements:** Plastic containers in a cool dry place when not in use.

Handling Requirements: Safe precautionary use to prevent spills and exposure to skin. Keep away

from oxidizing agents. **Other Precautions:** None

## SECTION VIII - CONTROL MEASURES

**Respiratory Protection (TYPE):** NIOSH approved respirator.

Ventilation: Yes

Mechanical (General): Yes

**Local Exhaust:** Yes

**Eye Protection:** Safety glasses

Protective Gloves: Recommended, NIOSH approved

Other Protective Clothing or Equipment: Rubber gloves and an apron

### SECTION IX - PHYSICAL AND CHEMICAL CHARACTERISTICS

**Boiling Point:** 100°C/212°F

Specific Gravity (Water = 1): 1.003 Vapor Pressure (mm Hg): NA Percent Volatile by Volume: 100%

**Vapor Density (Air = 1):** >2

**Evaporation Rate (Butyl Acetate = 1):** 1

**Melting Point: NA** 

Solubility in Water: Complete

Appearance and Odor: Clear liquid, ammonia odor

# SECTION X - STABILITY AND REACTIVITY

**Stability:** Product is stable **(Conditions to Avoid):** NA

Incompatibility: Oxidizing agents and acids

Hazardous Decomposition Products: Carbon dioxide and nitrogen oxides in fire conditions

**Hazardous Polymerization:** Will not occur **(Conditions to Avoid):** Contact with eyes and skin

### SECTION XI - TOXICOLOGICAL INFORMATION

## **Acute Toxicity Data**

1) Oral: LD-50 (rat): Not available

2) Inhalation: LC-50 (rat): Not available
3) Dermal: LD-50 (rabbit): Not available
4) Skin Irritation: (rabbit): Not available

#### **Chronic Toxicity Data**

1) Repeated Skin Application: (rat): Not available

2) Eye Irritation: (rabbit): Not available

#### SECTION XII - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

#### SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with EPA regulations

#### SECTION XIV- TRANSPORTATION

**D.O.T. Proper Shipping Name:** Ethanolamine solution

**Hazard Class:** 8

**Identification Number:** UN2491

Packing Group: III

**Type D.O.T Label Required Information:** Corrosive

Waste Disposal Method: Dispose in accordance with EPA regulations

### **SECTION XV - REGULATORY INFORMATION**

OSHA Hazardous Chemical According to 29 CFR 1910.1200: NA

**Carcinogenicity Classification: (Components Present at 0.1% or More)** 

International Agency for Research on Cancer (IARC): NA

American Conference of Governmental Industrial Hygienists (ACGIH): NA

National Toxicology Program (NTP): NA

Occupational Safety and Health Administration (OSHA): NA

All Components of this Product are Listed on the U.S. Toxic Substances Control Act Inventory or Otherwise Comply with TSCA Pre-manufacture Notification Requirements.

This product is RoHS compliant.

### SECTION XVI - OTHER INFORMATION

The labeling of this product is indicated in Section II. The full text of all abbreviations indicated by codes in the MSDS are as follows:

R34 R36 R37 R38	Causes burns Irritating to eyes Irritating to respiratory system Irritating to skin	
S-18	Handle and open container with care	
S-26	In case of eye contact, rinse thoroughly and get medical attention	
S-27	Take off immediately contaminated clothing	
S-36/37/39	Wear suitable protective clothing, gloves, and eye/face protection	
S-45	In case of accident or if feel unwell call medical advice immediately	
S61	Avoid release to the environment. Refer to special instructions/safety data sheet	
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show	
	this container or label where possible	
S64	If swallowed, rinse mouth with water (only if the person is conscious)	
P264	Wash thoroughly after handling	
P270	Do not eat, drink or smoke when using this product	
P280	Wear protective gloves/protective clothing/eye protection/face protection	
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel	
	unwell	
P305+P351+I	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses if present and easy to do – continue rinsing	
P330	Rinse mouth	
P337+P313	If eye irritation persists get medical advice/attention	
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting		
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position	
	comfortable for breathing	
P309+P311	IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician	

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful if contact with skin
H332	Harmful if inhaled
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation

### Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. Reasonable care has been taken in the preparation of this material, but there are NO WARRANTIES, NO REPRESENTATIONS AND NO RESPONSIBILITY AS TO THE ACCURACY OR THE SUITABILITY OF THIS INFORMATION FOR ANY PURCHASER'S USE OR FOR ANY CONSEQUENCE TO USE.